



Operating instructions for trim elements with technical surface (Aluminium)

1	Preliminary remarks	4
2	Basic requirements	6
2.1	transportation internal/external	
2.2	storage	
2.3	installation/removal	
2.4	handling	
3	Revision	8

1

Preliminary remarks

The manufacturer does not accept any responsibility for damage or function impairment caused by improperly performed handling!

Therefore observe the following notes.

2

Basic requirements

Transportation of the parts only in the intended packaging containers.

2.1 Transportation internal/external

All parts must be stored in the intended packaging containers dust-free and protected from weather and environmental influences.

2.2 Storage

The installation/removal must be performed by trained specialists with clean cotton gloves to avoid scratches to the surface.

2.3 Installation/removal

Do not use any pointy objects.

The parts must not be subjected to excessive force (applies to all surfaces).

Do not put any parts on the exposed surface. If this is not possible for installation reasons, choose a support area of a corresponding material and keep it clean and undamaged.

Stains (dirt, dust) on the surface must only be cleaned with a soft, moist (e.g. soap lye, detergent solution) cloth. Then wipe with a soft, dry, clean and lint-free cloth.

2.4 Handling

To avoid scratches to the coating, never clean the surface with hard tools or aggressive cleaning agents such as dilution, gasoline, abrasive, spray cleaner, wax, acidic or alkaline solutions. Do not spray any insecticides near the parts. Such chemicals may discolour or damage the surfaces.

The parts must only be treated by trained specialists with clean cotton gloves to avoid scratches to the surface.

Always clean polished surfaces along the polish from the inside out in.

Generally, do not perform any independent rework of novem products without prior coordination with novem (written consent)!

Rework at novem products should generally only be performed by novem specialists - otherwise, any guarantee and/or warranty will expire!

3

Revision

Version	Date	Approved by	Remarks
1.0	21. July 2015	Claudia Bahmann	Initial release
2.0	01. April 2016	Claudia Bahmann	Layout adjustment

